




DWN No.:

C-101279



Item	Part name	Q'ty/Ea'	Material	Finish
1	Body	1	Leaded Brass	Au plating over Ni
2	Plunger	1	Leaded Brass	Au plating over Ni
3	Spring	1	Stainless steel wire	—————
4				
5				

Table 1 Mechanical performance

Working height	11.40mm	90±25gf <2.1>
Durability	10000cycle	

Notes:

- 1 Dimensions shall be interpreted per ASME Y14.5M.
- 2 Mechanical performance(See the table 1)
<2.1>The force is the average of forces obtained when plunger goes downwards and upwards.
- 3 Electrical performance
Resistance: 50mOhm Max.Current rating: 2.0A
- 4 RoHS compliant.

DIST

DIST

	NEW	2012/01/14
Rev.	Revision record.	Date.

Top-Link Electronics Ltd. TOLERANCES UNLESS OTHER SPECIFIED 0. = ± - 0.0 = ± 0.15 0.00 = ± 0.10 0.000= ± - Angle: ±1° SURF TEXTURE: REMOVE BURRS. BREAK SHARP EDGES R0.05 MAX.DO NOT SCALE PRINT.	Type	Customer drawing		Unit	mm	Weight		
	DWN:	Qin zuozhong		APVD:		<div>Top-Link Electronics Ltd.</div>		
	CHK:			REL:				
	Name						POGO PIN	
	Scale	Size	DWG No.		Page		Rev.	
1:1	A4	C-101279		1/1		A		

101279-1

PART NUMBER

top-Link
Electronics

Top-Link
Electronics Ltd.