




DWN No.:

C-101505

DIST  
---

DIST  
---



4

	Update	2012/11/15
	NEW	2011/03/30
Rev.	Revision record.	Date.

3

Top-Link  
Electronics Ltd.  
TOLERANCES UNLESS  
OTHER SPECIFIED  
0. = ±  
0.0 = ± 0.15  
0.00 = ± 0.10  
0.000 = ±  
Angle: ±  
SURF TEXTURE:  
REMOVE BURRS.  
BREAK SHARP EDGES  
R0.05 MAX.DO NOT  
SCALE PRINT.

2

Type Customer drawing	Unit mm	Weight
DWN: Qin	APVD:	 Top-Link Electronics Ltd.
CHK:	REL:	
Name POGO PIN	Scale 1:1	Size A4
DWG No. C-101505	Page 1/1	Rev. 2

A

B

C

D

Table 1 Mechanical performance

Max.working height	6.50mm	90gf min <2.1>
Min.working height	5.90mm	200gf Max
Durability	10000cycle	

Notes:

1 Dimensions shall be interpreted per ASME Y14.5M.

2 Mechanical performance(See the table 1)

<2.1>The force is the average of forces obtained when plunger goes downwards and upwards.

<2.2>Warning:Working height are not permitted to be less than Min working height.

3 Electrical performance

Resistance: 30mOhm Max.Current rating: 2.0A

4 RoHS complaint.

101505-1

PART NUMBER