




DWN No.:

C-101595



DIST  
---

DIST  
---

4

2	UPDATE	2013/06/11
1	NEW	2012/03/07
Rev.	Revision record.	Date.

3

Top-Link Electronics Ltd.		Type Customer drawing	Unit mm		Weight	
TOLERANCES UNLESS OTHER SPECIFIED		DWN: Gui zhiguo	APVD:		<div><div>Top-Link Electronics</div><div>Top-Link Electronics Ltd.</div></div>	
0. = ±		CHK:	REL:			
0.0 = ± 0.15						
0.00 = ± 0.10						
0.000= ±						
Angle: ±1°		Name				
SURF TEXTURE: REMOVE BURRS.		POGO PIN				
BREAK SHARP EDGES R0.05 MAX.DO NOT SCALE PRINT.		Scale 1:1	Size A4	DWG No. C-101595		Page 1/1
						Rev. 2

Item	Part name	Q'ty/Ea'	Material	Finish
1	Body	1	Leaded Brass	Au plating over Ni
2	Plunger	2	Leaded Brass	Au plating over Ni
3	Spring	1	Stainless steel wire	
4				
5				

Table 1 Mechanical performance		
Max.working height	9.20mm	80gf min<2.1>
Min.working height	8.50mm	200gf max
Durability	10000cycle	

#### Notes:

- Dimensions shall be interpreted per ASME Y14.5M.
- Mechanical performance(See the table 1)  
<2.1>The force is the average of forces obtained when plunger goes downwards and upwards.  
<2.2>Warning:Working height are not permitted to be less than Min working height.
- Electrical performance  
Resistance: 30mOhm max  
Current rating: 2.0A
- RoHS compliant.

101595-1

PART NUMBER

A